

ANSWER KEY

1) C	2) C	3) C	4) C	5) C
6) B	7) C	8) A	9) C	10) D
11) B	12) D	13) B	14) B	15) A
16) D	17) D	18) D	19) A	20) C
21) C	22) C	23) B	24) B	25) C
26) D	27) D	28) C	29) B	30) C
31) B	32) C	33) A	34) B	35) B
36) B	37) B	38) A	39) B	40) B
41) A	42) D	43) A	44) B	45) D
46) B	47) C	48) D	49) C	50) A
51) B	52) A	53) D	54) D	55) C
56) B	57) A	58) B	59) B	60) D
61) B	62) C	63) B	64) D	65) B
66) C	67) C	68) C	69) C	70) C
71) A	72) D	73) C	74) B	75) D
76) C	77) A	78) C	79) B	80) D
81) D	82) A	83) B	84) D	85) D
86) D	87) B	88) B	89) C	90) D
91) B	92) B	93) D	94) A	95) B
96) B	97) C	98) C	99) D	100) B

HINTS & SOLUTION

1. (c) One day work of 1st son = $\frac{1}{6}$
 One day work of second son = $\frac{1}{12}$
 One day work of them working together
 $\Rightarrow \frac{1}{6} + \frac{1}{12} = \frac{2+1}{12} = \frac{1}{4}$
 Father will finish the work in 4 days

2. (c)
 $\frac{M_1 D_1}{W_1} = \frac{M_2 D_2}{W_2}$
 $\Rightarrow \frac{18 \times 5}{1440} = \frac{M_2 \times 8}{1920}$
 $\Rightarrow M_2 = \frac{1920 \times 18 \times 5}{8 \times 1440} = 15$

3. (c) One day work of Ram = $\frac{1}{6}$
 One day work of Shyam = $\frac{1}{12}$
 One day work of them working together
 $\Rightarrow \frac{1}{6} + \frac{1}{12} = \frac{2+1}{12} = \frac{1}{4}$
 Two days work together = $\frac{1}{2}$
 (half of the work)

4. (c) $\log_{10} 0.0001 = a$
 $a = \log_{10} \frac{1}{(10)^4}$
 $\Rightarrow \log_{10} 1 - \log_{10} (10)^4$
 $= 0 - 4 = -4$

5. (c)
 $\frac{1}{3} \log_{10} 125 - 2 \log_{10} 4 + \log_{10} 32 + \log_{10} 1$
 $\frac{1}{3} \log_{10} (5)^3 - 2 \log_{10} (2)^2 + \log_{10} (2)^5 + 0$
 $\log_{10} 5 + \log_{10} 2 = \log_{10} 5 \times 2$
 $\Rightarrow \log_{10} 10 = 1$

6. (b) It can be written as
 $\frac{x^8 + 4 + 4x^4 - 4x^4}{x^4 + 2x^2 + 2}$
 $\Rightarrow \frac{x^8 + 4x^4 + 4 - 4x^4}{x^4 + 2x^2 + 2}$
 $\Rightarrow \frac{(x^4 + 2)^2 - (2x^2)^2}{x^4 + 2x^2 + 2}$
 $\Rightarrow \frac{(x^4 + 2x^2 + 2)(x^4 - 2x^2 + 2)}{x^4 + 2x^2 + 2}$
 $\Rightarrow x^4 - 2x^2 + 2$

7. (c)
 $x^2(y - z) + y^2(z - x) - z(xy - yz - zx)$
 $x^2y - x^2z + y^2z - y^2x - zxy + z^2y + z^2x$
 $xy(x - y - z) - z(x^2 - y^2) + z^2(x + y)$
 $xy(x - y - z) - z(x + y)(x - y - z)$
 $(x - y - z)(xy - yz - zx)$

8. (a) Remainder
 $3(2y)^3 - 2(2y)^2y - 13(2y)y^2 + 10y^3$
 $\Rightarrow 24y^3 - 8y^3 - 26y^3 + 10y^3$
 $\Rightarrow 34y^3 - 34y^3 = 0$

9. (c) Upon dividing Quotient by $x^2 + 2$
 We get remainder $-2x + 10k - 10$

It is given $-2x$
 $-2x = -2x + 10k - 10$
 $\Rightarrow k = 1$

10. (d) 1 Quintal = 100 kg

$$\frac{3}{2} \text{ quintal} = \frac{3}{2} \times 100 = 150 \text{ kg}$$

Given, $\frac{15}{4} \text{ kg} = 1 \text{ unit}$

$$\Rightarrow 1 \text{ kg} = \frac{4}{15} \text{ unit}$$

$$\Rightarrow 150 \text{ kg} = \frac{4}{15} \times 150 = 40$$

11. (b) Let full fare = ₹ x

Reservation charges = ₹ y

$$x + y = 362$$

$$1\frac{1}{2}x + 2y = 554$$

$$\Rightarrow 3x + 4y = 1108$$

Upon solving both equations

$$x = 340, y = 22$$

Reservation charge = 22

12. (d) Let greater number be x and smaller number be y

$$x - y = 45$$

$$\Rightarrow x = 4y$$

$$4y - y = 45 \Rightarrow y = 15$$

$$\Rightarrow x = 4 \times 15 = 60$$

Required sum = $x + y = 75$

13. (b) Fare from P to Q = ₹ x

Fare from P to R = ₹ y

According to question $x + y = 42$

$$5x + 10y = 350$$

Upon solving we get, $x = 14, y = 28$

14. (b) Let smaller number be x

Larger number be $80 - x$

According to question, $80 - x = 4x + 5$

$$\Rightarrow 5x = 75 \Rightarrow x = 15$$

15. (a) Given equations are

$$5x - 2y = 10$$

$$2x + 6y = 21$$

Upon solving, $x = 3, y = \frac{5}{2}$


Their interaction point is $(3, 5/2)$

The shaded region in the question graph is below the original region

Hence, solution set is

$$2x + 6y \leq 21, \quad 5x - 2y \leq 10$$

Graph for the above two equation is



16. (d) Since α, β are the roots of the equation

$$x^2 - 3x + 2 = 0$$

Therefore, $\alpha + \beta = 3, \alpha\beta = 2$

$$\alpha + 1 + \beta + 1 = \alpha + \beta + 2$$

$$\Rightarrow 3 + 2 = 5$$

$$\Rightarrow (\alpha + 1)(\beta + 1) = \alpha\beta + \alpha + \beta + 1$$

$$2 + 3 + 1 = 6$$

Required equation is

$$x^2 - (\alpha + 1 + \beta + 1)x +$$

$$(\alpha + 1)(\beta + 1) = 0$$

$$\Rightarrow x^2 - 5x + 6 = 0$$

17. (d) α & β are roots of the equation

$$7x^2 + 12x + 18 = 0$$

$$\alpha + \beta = -\frac{12}{7}, \quad \alpha\beta = \frac{18}{7}$$

$$\alpha^2 + \beta^2 + 2\alpha\beta = \frac{144}{49}$$

$$\Rightarrow \alpha^2 + \beta^2 = \frac{144}{49} - \frac{36}{7} = -\frac{108}{49}$$

$$\Rightarrow \frac{\alpha^2 + \beta^2}{\alpha\beta} = \frac{-\frac{108}{49}}{\frac{18}{7}} = -\frac{6}{7}$$

18. (d) $\frac{x(x-1) - m(m+1)}{(x-1)(m-1)} = \frac{x}{m}$
 $m(x^2 - x - m - 1) = x(mx - x - m + 1)$
 $\Rightarrow mx^2 - mx - m(m+1)$
 $\Rightarrow mx^2 - x^2 - mx + x$
 $\Rightarrow x^2 - x - m(m+1) = 0$

Given, roots are α & α

$$\alpha + \alpha = 1, \quad \alpha \times \alpha = -m(m+1)$$

$$\alpha = \frac{1}{2} \Rightarrow \left(\frac{1}{2}\right)^2 = -m(m+1)$$

$$\Rightarrow 4m^2 + 4m + 1 = 0$$

$$\Rightarrow (2m+1)^2 = 0 \Rightarrow m = -\frac{1}{2}$$

19. (a) $\sqrt{\frac{x}{x+3}} - \sqrt{\frac{x+3}{x}} = -\frac{3}{2}$

Let $y = \sqrt{\frac{x}{x+3}}$

$$y - \frac{1}{y} = -\frac{3}{2}$$

$$2y^2 + 3y - 2 = 0$$

Upon solving, $y = \frac{1}{2}$

$$\Rightarrow \sqrt{\frac{x}{x+3}} = \frac{1}{2}$$

Squaring both sides

$$\Rightarrow \frac{x}{x+3} = \frac{1}{4}$$

$$\Rightarrow 4x = x + 3 \Rightarrow x = 1$$

20. (c) -1.5 is a root of $ax^2 + x - 3 = 0$

Then, $a(-1.5)^2 + (-1.5) - 3 = 0$

$$\Rightarrow 2.25a - 4.5 = 0$$

$$a = \frac{4.5}{2.25} \Rightarrow a = 2$$

21. (c) $n(A \cap B) = 2n$

$$\Rightarrow n(A \cup B) = n(A) + n(B) - n(A \cap B)$$

$$\Rightarrow 2n + 4n - 2n = 4n$$

Minimum number of elements is $4n$


22. (c) Given, $A = \{1,2,3,4\}$

So, required subsets are $\{1,2,3\}$, $\{1,2,4\}$, $\{1,3,4\}$, $\{2,3,4\}$ and $\{1,2,3,4\}$

23. (b) Percent of candidates who failed in either Hindi or English = $(50 + 40 - 15) = 75$

Percent of candidates who passed in both subject = $100 - 75 = 25\%$

24. (b)



$$\operatorname{cosec} \theta = \frac{p}{q}$$

$$b = \sqrt{p^2 - q^2}$$

$$\text{In } \triangle ABC, \tan \theta = \frac{q}{\sqrt{p^2 - q^2}}$$

$$\Rightarrow \sqrt{p^2 - q^2} \times \tan \theta = q$$

25. (c) We know that $\sin \theta$ is increasing from 0° to 90°

$$\sin 30^\circ = \frac{1}{2}$$

$$\sin 32^\circ > \frac{1}{2}$$

26. (d) $\sin x - \cos x = 0$

$$\sin x = \cos x$$

$$\Rightarrow x = 45^\circ = \frac{\pi}{4}$$


$$\Rightarrow \sin^4 x + \cos^4 x = \sin^4 \frac{\pi}{4} + \cos^4 \frac{\pi}{4}$$

$$\Rightarrow \left(\frac{1}{\sqrt{2}}\right)^4 + \left(\frac{1}{\sqrt{2}}\right)^4 = \frac{1}{4} + \frac{1}{4} = \frac{1}{2}$$

27. (d) $\tan \theta = \frac{3}{4} = \frac{P}{B}$

$$H = \sqrt{P^2 + B^2} = \sqrt{9 + 16} = \sqrt{25} = 5$$

Let hypotenuse = x



$$\sin \theta = \frac{2}{x} = \frac{3}{5} \Rightarrow x = \frac{2 \times 5}{3} = \frac{10}{3}$$

28. (c) Given, $\sin(x - y) = \frac{1}{2}$

$$\cos(x + y) = \frac{1}{2}$$

$$\Rightarrow \sin(x - y) = \sin 30^\circ$$

$$\cos(x + y) = \cos 60^\circ$$

$$\Rightarrow x - y = 30^\circ, x + y = 60^\circ$$

$$x = 45^\circ, y = 15^\circ$$

29. (b) In 60 min h hand gains = 5 min

$$\text{In 1 min } h \text{ hand gains} = \frac{5}{60} \text{ min.}$$

$$\text{In 10 min, } h \text{ hand gains} = \frac{5}{60} \times 10 = \frac{5}{6} \text{ min}$$

There is 15 min gap between hours and minutes hands but in 10 min h hand gains

$$\frac{5}{6} \text{ min more}$$

$$\text{Actual gap} = 15 + \frac{5}{6} = \frac{95}{6}$$

In 1 min, there are 6°

$$\text{In } \frac{95}{6} \text{ min, there are } \frac{95}{6} \times 6^\circ$$

$$\Rightarrow \frac{95}{6} \times 6 \times \frac{\pi}{180} = \frac{19\pi}{36} \text{ radian}$$

30. (c) Given, $\sin x \cos x = \frac{1}{2}$

$$(\sin x - \cos x)^2 = (\sin^2 x + \cos^2 x) - 2\sin x \cos x$$

$$\Rightarrow 1 - 2\left(\frac{1}{2}\right) = 0$$

31. (b)

$$\cot^2 \theta - \frac{1}{\sin^2 \theta} = \frac{\cos^2 \theta}{\sin^2 \theta} - \frac{1}{\sin^2 \theta}$$

$$\Rightarrow \frac{\sin^2 \theta}{\sin^2 \theta} = -1$$

32. (c) $\sin x = \cos y$
 $\angle x$ & $\angle y$ are acute angles, then

$$x = y = 45^\circ = \frac{\pi}{4}$$

Hence, $x + y = \frac{\pi}{2}$

33. (a) $\frac{\cos x}{\cos y} = n$, $\frac{\sin x}{\sin y} = m$

$$(m^2 - n^2) \sin^2 y = \left(\frac{\sin^2 x}{\sin^2 y} - \frac{\cos^2 x}{\cos^2 y} \right) \sin^2 y$$

$$\Rightarrow \frac{(1 - \cos^2 x) \cos^2 y - \cos^2 x (1 - \cos^2 y)}{\cos^2 y}$$

$$\Rightarrow \frac{\cos^2 y - \cos^2 x}{\cos^2 y} = 1 - n^2$$


34. (b) Given equation can be written as
 $\cos^2(3x - 9^\circ) = 1 - \sin^2 60^\circ$

$$\Rightarrow \cos^2(3x - 9^\circ) = \cos^2 60^\circ$$

$$\Rightarrow 3x - 9^\circ = 60^\circ$$

$$\Rightarrow 3x = 69^\circ \Rightarrow x = 23^\circ$$

35. (b) Let O = Centre of the balloon
 OB = OC = Radii of the balloon



In $\triangle OBA$, $\sin 45^\circ = \frac{OB}{OA} = \frac{1}{\sqrt{2}} = \frac{1}{OA}$


$$\Rightarrow OA = \sqrt{2}$$

36. (b) Let the side of a regular hexagon be 'a'
 Let height of tower 1 = h1 and tower 2 be h2

Height of tower 1 = h1

$$\Rightarrow \tan 30^\circ = \frac{h1}{a}$$

$$\Rightarrow a \times \frac{1}{\sqrt{3}} = h1$$



$$\tan 45^\circ = \frac{h2}{\sqrt{3}a}$$


$$\Rightarrow h2 = \sqrt{3}a$$

Ratio of h1 & h2 $\Rightarrow \frac{a}{\frac{\sqrt{3}}{\sqrt{3}a}} = \frac{1}{3}$

37. (b) The angle of elevation and angle of depression are measured with the horizontal line only.

38. (a) It will be a centroid

39. (b) A circle of radius 1cm can be cut off



Area of rectangular sheet = 10 cm

Area of circle = $\pi \times 1^2 = \pi$

Required area = 10 - π

40. (b)

$$\text{Distance in 1 revolution} = \frac{400}{1000} m$$

$$\Rightarrow \text{Circumference} = \pi \times d = \frac{44000}{1000}$$

$$d = \frac{44000 \times 7}{1000 \times 22} = 14 \text{ cm}$$

41. (a) $BC = \sqrt{x^2 + y^2}$

$$\text{Area of } \Delta ABC = \frac{1}{2} \times xy$$

$$\text{Area of semi circle BACB} = \frac{\pi(x^2 + y^2)}{4}$$

Area of shaded portion = Semi circle


ABDA + Semi circle AECA -

(Semi circle BACB - Area of ΔABC)

$$\Rightarrow \frac{\pi x^2}{4} + \frac{\pi y^2}{4} - \pi \left(\frac{x^2 + y^2}{4} \right) + \Delta ABC$$

$$\Rightarrow \text{Area of } \Delta ABC$$

42. (d) Let length and breadth of a rectangle is $4x$ and $3x$



$$\text{Area of } \Delta BOC = \frac{1}{2} \times 3x \times 2x = 3x^2$$


$$\text{Area of } \Delta AOB = \frac{1}{2} \times 4x \times 1.5x = 3x^2$$

Ratio = 1:1

43. (a) Volume of cone. $C = \frac{1}{3} \pi R^2 H$

Since, $H = R$, $C = \frac{1}{3} \pi R^3$


Volume of hemisphere, $H = \frac{2}{3} \pi R^3$



$$C:H = 1:2$$

44. (b) In ΔABC ,

$$\cos 30^\circ = \frac{\frac{3}{2}}{l} \Rightarrow l = \frac{\frac{3}{2}}{\sqrt{\frac{3}{2}}} = \sqrt{3}$$



Area of cone $ACD = \pi r l$

$$\Rightarrow \pi \times \frac{3}{2} \times \sqrt{3} = \frac{3\sqrt{3}\pi}{2}$$

45. (d) Volume of semi circular disc

$$\Rightarrow \frac{1}{2} \pi \times 4 \times 4 \times 2$$

Volume of spherical ball

$$\Rightarrow \frac{4}{3} \pi \left(\frac{2.5}{10} \right)^3$$

$$\text{Number of balls} = \frac{\frac{1}{2} \pi \times 4 \times 4 \times 2}{\frac{4}{3} \pi \times \left(\frac{2.5}{10} \right)^3} = 768$$

46. (b) Surface area of sphere = 3 (Volume of sphere)

$$4\pi r^2 = 3 \times \frac{4}{3} \times \pi r^3 \Rightarrow r = 1$$

$$\text{Diameter} = 2r = 2\text{cm}$$

47. (c) Volume of wood = Volume of lead pencil - Volume of lead

$$\pi (0.4)^2 \times 21 - \pi \times (0.1)^2 \times 21$$

$$\Rightarrow 21 \times \frac{22}{7} \times (0.16 - 0.01)$$

$$\Rightarrow 66(0.15) = 9.9 \text{ cu cm}$$

48. (d) Since the outer edges of cubical box is 5 cm

$$\text{Surface area of outer cubical box} = 5 (\text{edge})^2$$

$$5 \times 5^2 = 125$$

$$\text{Surface area of inner cubical box}$$

$$\Rightarrow 5 \times 4^2 = 80$$

$$\text{Total surface area} = 125 + 80 = 205$$

49. (c) Volume of bigger cone

$$\frac{1}{3} \pi (6)^2 \times 8 = 96\pi$$

$$\text{Volume of smaller cone}$$

$$\frac{1}{3} \pi \times (1)^2 \times 2 = \frac{2\pi}{3}$$

$$\text{Number of cones} = \frac{96\pi}{\frac{2\pi}{3}} = 144$$

50. (a) $R = 2r$

According to the question,

Volume of cylinder = volume of cone

$$\Rightarrow \pi r^2 h = \frac{1}{3} \pi R^2 H$$

$$\Rightarrow r^2 h = \frac{1}{3} (2r)^2 H$$

$$H = \frac{3h}{4}$$

51. (b) Radius cone = $\frac{126}{2} = 63$

$$\text{Height of cone} = 21 - 5 = 16$$

$$\text{Slant height} = \sqrt{63^2 + 16^2}$$

$$\Rightarrow \sqrt{3969 + 256} = \sqrt{4225} = 65$$

52. (a) Radius of cylinder = 63

$$\text{Height} = 5$$

$$\text{Curved surface area} = 2\pi r h$$

$$\Rightarrow 2 \times \frac{22}{7} \times 63 \times 5 = 1980$$

53. (d) Canvas = Curved surface area of cylinder + curved surface area of cone

$$\Rightarrow 2\pi r h + \pi r l$$

$$\Rightarrow 1980 + \frac{22}{7} \times 63 \times 65 = 14850$$

54. (d)

$$\text{Given, } \frac{\text{Volume of small cone}}{\text{Volume of large cone}} = \left(\frac{r}{R}\right)^3$$

$$\Rightarrow 1 - \frac{\text{Volume of small cone}}{\text{Volume of large cone}} = 1 - \left(\frac{1}{2}\right)^3$$

$$\Rightarrow \frac{\text{Vol large cone} - \text{Vol small cone}}{\text{Vol of large cone}} = \frac{7}{8}$$

$$\Rightarrow \frac{\text{Vol of frustum}}{\text{Vol of large cone}} = \frac{7}{8}$$

55. (c)

$$2\pi r h = 1 \text{ litre. Paint required} =$$

$$\frac{2\pi r h + 2\pi (r+1) h + 2\pi [(r+1) + r]}{2\pi r h}$$

$$\Rightarrow \frac{r h + (r+1) h + 2r + 1}{r h} = \frac{21 + 28 + 7}{3 \times 7}$$


$$= \frac{8}{3}$$

56. (b) In $\triangle AOB$,

$$\sin 30^\circ = \frac{AB}{OA} \Rightarrow \frac{1}{2} = \frac{AB}{10}$$


$$\Rightarrow AB = 5 \text{ cm}$$

Now, $AC = 2AB = 2 \times 5 = 10 \text{ cm}$



57. (a) The locus of P is a straight line which is the right bisector of AB.

58. (b) Draw a line EF such that $EF \parallel AB \parallel CD$



Now, $AB \parallel EF$

$\angle AXO + \angle XOY = 180^\circ$ (Interior \angle les)

$$\Rightarrow \angle XOY = 180^\circ - 125^\circ = 55^\circ$$

$EF \parallel CD$

$$\Rightarrow \angle EOY = \angle OYD = 35^\circ$$

$$\Rightarrow \angle XOY = \angle XOY + \angle EOY$$

$$\Rightarrow 55^\circ + 35^\circ = 90^\circ$$

59. (b) A circle is the locus of any point that sum of square of its distance from any two fixed point is always constant

60. (d) Hour hand moves by 30° in 1 hour
In one hour movement of hour hand = 30°

In $\left(5 + \frac{10}{60}\right)$ hour movement is

$$30 \left(5 + \frac{10}{60}\right)$$

$$\Rightarrow 30 = \left(5 + \frac{1}{6}\right)$$

$$\Rightarrow 30 \times \frac{31}{6} = 155^\circ$$

61. (b) Hour hand moves by 30° in 1 hour
Hence, In 10 min hour hand will move by 5°

62. (c) of the circle = θ

$$\text{Then, } \frac{\theta}{360} \times 2\pi R = 33$$

$$\Rightarrow \theta = \frac{33 \times 360 \times 7}{2 \times 22 \times 14} = 3 \times 45$$

$$= 135^\circ$$

63. (b) Let other angle of each triangle be a, b, c, d

$$\Rightarrow (1 + 2 + a) + (3 + 4 + b) + (5 + 6 + c) + (7 + 8 + d) = 180^\circ \times 4$$

$$\Rightarrow 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 = 720^\circ -$$

$$(a + b + c + d)$$

$$\Rightarrow 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 =$$

$$720^\circ - 360^\circ = 360^\circ$$

64. (d) Given, $DE:BE = 3:5$

$$\frac{\text{Area of } \triangle ABC}{\text{Area of } \triangle DAE} = \left(\frac{BC}{DE}\right)^2 = \frac{25}{9}$$

65. (b) $\angle DAB + \angle ABD + \angle BDA = 180^\circ$
 $(30^\circ + x) + 45^\circ + 90^\circ = 180^\circ$

$$x = 15^\circ$$

In ΔACB ,

$$\angle CAB + \angle ABC + \angle BCA = 180^\circ$$

$$\Rightarrow 30^\circ + (45^\circ + y) + 90^\circ = 180^\circ$$

$$y = 15^\circ$$

$$2x - y = 2 \times 15^\circ - 15^\circ = 15^\circ$$

66. (c) Suppose the smaller and larger sides of a right triangle be x & y , respectively.

By given condition,

$$x^2 + y^2 = (3\sqrt{10})^2$$

$$\Rightarrow x^2 + y^2 = 90$$

$$9x^2 + 4y^2 = 405$$

On solving equation, $x = 3$. $y = 9$

67. (c)

$$\angle AMC + \angle CMD = \angle BMD$$

$$+ \angle CMD \Rightarrow \angle AMD = \angle BMC$$

$$\Rightarrow \angle DAM = \angle CBM$$

$$AM = BM$$

By ASA, $\Delta ADM \cong \Delta BCM$


68. (c) Here we see $(50)^2 = (30)^2 + (40)^2$

$$\Rightarrow 2500 = 900 + 1600$$

It means given scores are sides of a rectangle


So, other diagonal should be 50 runs

69. (c) Isosceles trapezium has only line of symmetry.



70. (c) Let the sides of parallelogram be x, y, xk, yk

Sides of parallelogram are in ratio $1:k$



$$\Delta ABC \sim \Delta PQT$$

$$\Rightarrow \frac{AC}{PT} = \frac{BC}{QT}$$

$$\Rightarrow \frac{BC}{QT} = \frac{y}{yk} = \frac{1}{k}$$

$$\text{Let } BC = z, QT = zk$$

Ratio of parallelogram

$$= \frac{xz}{zk \times zk} = \frac{1}{k^2}$$

71. (a)

In ΔABE , $\angle EAB = \angle ABE = 60^\circ$

$$\angle AEB = 60^\circ$$

ΔABE is an equilateral triangle

$$AB = BE = EA$$

$$\text{Perimeter of } \Delta ABE = 6$$

$$AB + BE + EA = 6, AB = 2$$

$$\text{In } \Delta ADE, AE^2 = AD^2 + ED^2$$

$$4 = AD^2 + 1$$

$$E \text{ is mid point of } CD, AD = \sqrt{3}$$

$$\text{Area} = AB \times AD = 2 \times \sqrt{3}$$

72. (d) In parallelogram,

$$d_1^2 + d_2^2 = 2(l^2 + b^2)$$


$$d^2 + (10)^2 = 2(64 + 144)$$

$$d^2 = 2 \times 208 - 100$$

$$d^2 = 416 - 100 = 316$$

$$d = \sqrt{316} = 17.76 \Rightarrow d > 12$$

73. (c)



$$AB \times AP = AD^2 = \left(\frac{AC}{2}\right)^2 = \frac{1}{4}(AC)^2$$

$$AB \times AP = \frac{1}{4}(AB)^2$$


74. (b) By using theorem,

$$(PT)^2 = PA \times PB$$

$$\Rightarrow (6)^2 = 4 \times (4 + AB)$$

$$\Rightarrow \frac{36}{4} = 4 + AB \Rightarrow AB = 5 \text{ cm}$$

75. (d) The tangents drawn from an outer point on a circle are always equal = $\angle CBA$



$$\angle CAB = \angle CBA \Rightarrow 45^\circ + x + x = 180^\circ$$

$$2x = 180^\circ - 45^\circ$$


$$\Rightarrow x = 67\frac{1}{2}^\circ = \angle AQP = \angle BQP$$

(Alternate interior segments properties)

$$\angle AQB = \angle AQP + \angle BQP$$

$$= 67\frac{1}{2}^\circ + 67\frac{1}{2}^\circ = 135^\circ$$

76. (c)



$$AP \times AB = AC \times AQ$$


$$\Rightarrow 8 \times 3 = (2 + x) \times 2$$

$$\Rightarrow \frac{8 \times 3}{2} = 2 + x \Rightarrow x = 10 \text{ cm}$$

77. (a) Given, $PO = 10 \text{ cm}$, $OT = 6 \text{ cm}$

$$PB = 5 \text{ cm}$$

In $\triangle OTP$,



$$\Rightarrow (OP)^2 = (PT)^2 + (OT)^2$$

$$\Rightarrow (10)^2 = (PT)^2 + 6^2 \Rightarrow PT = 8 \text{ cm}$$

From properties of circle,

$$\Rightarrow (PT)^2 = PB \times PC$$

$$\Rightarrow 64 = 5 \times (BC + 5) \Rightarrow 5BC = 39$$

$$\Rightarrow BC = 7.8 \text{ cm}$$

78. (c) Mean age of minor children = 5 years

79. (b) Median age of minor children = 5 years

80. (d) 1,3,5,7,9, x, 15,17

Total number of terms = 8

Median =

$$\Rightarrow \frac{\frac{8}{2} \text{th term} + \left(\frac{8}{2} + 1\right) \text{th term}}{2}$$

$$\Rightarrow \frac{4 \text{th term} + 5 \text{th term}}{2} = \frac{7 + 9}{2} = 8$$

Distribution is arranged in ascending order
So, $9 \leq x \leq 15$

81. (d) Pie chart

82. (a) For an ogive, the cumulative frequencies are plotted as a upper limit of class intervals.

83. (b) Let speed of train and car are x, y respectively

$$\frac{120}{x} + \frac{480}{y} = 11$$

$$\Rightarrow \frac{200}{x} + \frac{400}{y} = \frac{35}{3}$$

\Rightarrow Upon solving $x = 40, y = 60$

$\Rightarrow x:y = 2:3$

84. (d) Let CP be ₹100x

$$106x - 94x = 6. \Rightarrow 12x = 6$$

$$x = 0.5, 100x = ₹50$$

85. (d)

$$1\% = \frac{24}{2} = 12$$

Hence, Principal = 1200

86. (d)

$$\frac{x + x + x + x}{\frac{x}{100} + \frac{x}{200} + \frac{x}{300} + \frac{x}{400}}$$

$$\frac{4x}{12x + 6x + 4x + 3x} = \frac{4x \times 1200}{25x} = 192$$

87. (b) Milk content in 1st vessel = $\frac{1}{4}$

$$\text{water content} = \frac{3}{4}$$

$$\text{Milk content in 2nd vessel} = \frac{3}{8}$$

$$\text{water content} = \frac{5}{8}$$

Milk content in mixture drawn from both

$$\Rightarrow 3 \times \frac{1}{4} + \frac{3}{8} \times 2 = \frac{3}{2}$$

$$\text{Water content} = 3 \times \frac{3}{4} + 2 \times \frac{5}{8} = \frac{7}{2}$$

$$\text{Ratio} = \frac{3}{2} : \frac{7}{2} = 3:7$$

88. (b) Given, 50% $(x - y) = 40\% (x + y)$,

$$\Rightarrow \frac{50}{100} \times (x - y) = \frac{40}{100} \times (x + y)$$

$$\Rightarrow 5x - 5y = 4x + 4y$$

$$\Rightarrow x = 9y$$

Let $a\%$ of $x = y$


$$\Rightarrow \frac{a}{100} \times 9y = y \Rightarrow r = \frac{100}{9} = 11\frac{1}{9}\%$$

89. (c) After 1st hit ball height will be $\frac{1}{2} \times 64$

$$\text{After 2nd hit ball height will be } \left(\frac{1}{2}\right)^2 \times 64$$

$$\text{After 16th hit ball height will be } \left(\frac{1}{2}\right)^{16} (64) = \frac{1}{2^{16}} \times 2^6 = 2^{-10}$$

90. (d)
- $$(\sqrt{7} - \sqrt{2})^2 = 7 + 2 - 2 \times \sqrt{7 \times 2}$$
- $$\Rightarrow 9 - 2\sqrt{14}$$
91. (b) 3.292929... = 3.29 is a non-terminating repeating decimal. Then, it is a rational number.
92. (b) Using $k = -1$
- $$(-k)^2 - 5k + 6 = (-k)^2 - 8k + 15$$
- $$\Rightarrow 3k = 9, k = 3$$
93. (d) X completes a round in inch 252 sec.
Y completes a round in inch 308 sec.
Z completes a round in inch 198 sec.
L.C.M of 252, 308 and 198 =
 $2 \times 2 \times 3 \times 3 \times 7 \times 11 = 2772$ sec.
= 46 min. 12 sec.
94. (a) Let two numbers are 12a and 12b. Such that H.C.F = 12. then L.C.M = 12ab
Here, L.C.M of these two number must be divisible by 12.
'80' is not divisible by 12, so can not be L.C.M
95. (b) Let Madhukar received the information x hour before 2p.m.



$$\Rightarrow \frac{3}{4} + x = \frac{13}{4}$$

$$\Rightarrow x = \frac{13}{4} - \frac{3}{4} = \frac{5}{2} = 2\frac{1}{2}$$

Hence Madhukar received information $2\frac{1}{2}$ hours before 2 p.m. i.e 11 : 30 a.m.

96. (b) Let original number be x
- $$8x - \frac{x}{8} = 2016$$
- $$\Rightarrow \left(\frac{63x}{8}\right) = 2016 \Rightarrow x = 256$$
97. (c) As per divisibility rule of 9, 4444 when divided by 9 will leave remainder 7
 4^{4444} can be written as 7^{4444}
We know that for 7, If number is x^{4k} , Last Digit is 1
Hence, we can write 7^{4444} as 7^1
7 when divided by 9 will leave the remainder 7
98. (c) We know that for 7, If number is x^{4k+1} , Last Digit is 7
99. (d) Given number is 222222.
Sum of digits = $2 + 2 + 2 + 2 + 2 + 2 = 12$
which is divisible by 3.
So, number is also divisible by 3.
Sum of odd terms of digits – Sum of even terms of digits = $6 - 6 = 0$, it is divisible by 11.
In a number a digit repeated six times, then this number is divisible by 7
Hence, the given number is divisible by 3, 7 and 11
100. (b) $x = 14a + 7 = 15b + 5$. For smallest value of x , two number a & b should be minimum and when $a = 2 = b$
Then, $x = 14 \times 2 + 7 = 35$